HIV Infection in Medical Patients

HIV Prevalence in Individuals Reported with Tuberculosis

In 1998 and 1999 the HIV status of 72 percent of New York City's TB cases was known. HIV coinfection was higher in males and in those 25-64 years of age. In New York State exclusive of New York City, the HIV status of approximately 44 percent of TB cases was known. As in New York City, in those with known HIV status, HIV infection was higher in males and those 25-64 years of age.

Community Health Clinics

The AIDS Institute supports HIV/AIDS prevention and primary care services in 42 community-based ambulatory care centers throughout the state. These programs offer outpatient HIV services including counseling, testing, primary care, case management, partner notification, transportation and mental health and substance abuse counseling. During 1999,

25,307 people received HIV testing in these community-based settings, an increase from the previous year's figure of 23,880. Overall HIV positivity was 2.0% in 1998 and 1.7% in 1999.

A smaller subset of providers submit detailed client data that include demographic and risk behavior variables. Of those tested by these providers in 1998, 44.2 percent were male and 55.7 percent were female (see Figure 6-3). Positivity was 3.45 percent among men tested and 1.88 percent among women tested. The highest positivity rate for adults was found in the 40-49 age group, at 5.25 percent, followed by 3.86 percent positivity for those age 30-39. Of those tested who were under age 20, 0.6 percent were positive.

Of those tested by these providers in 1999, 42.5 percent were male and 57.4 percent were female (see Figure 6-3). Positivity was 3.40 percent among men


tested and 1.61 percent among women tested. The highest positivity rate for adults was found in the 40-49 age group at 5.05 percent, followed by 3.48 percent positivity for those aged 50+ and 3.18 percent positivity for those aged 30-39. Of those tested who were under age 20, 0.25 percent were positive.

In 1998, the positivity rate for African American/Blacks was 3.49 percent, 3.06 percent for Latinos/Hispanics and 1.32 percent for Whites. Positivity was highest among injecting drug users (IDU) (12.42%), men who have sex with men (7.37%) and sex partners of IDU (4.87%).

In 1999, the positivity rate for African American/Blacks was 3.26 percent, 2.88 percent for Latinos/Hispanics and 1.02 percent for Whites. Positivity was highest among injecting drug users (IDU) (9.69%), sex partners of IDU (8.47%), and men who have sex with men (6.41%).

HIV Status of Tuberculosis Cases by Sex and Region

New York State, 1998 and 1999



^{*} Percent HIV positive represents a minimum estimate as some cases have unknown test results. The percent of known HIV status in New York City = in 1998, 72.3% of 1,558 and in 1999, 72.7% of 1,460 TB cases. The percent of known HIV status in New York State (excluding New York City) = in 1998, 41.6% of 442 and in 1999, 46.9% of 377 TB cases.

HIV Prevalence in Medical Practice Specimens Tested by the New York State Laboratory

New York State, 1989 - 1999

| | | 1989-1998 | | | 1999 | | | |
|--|-------------------------------|---|---------------------|-------------------------------|--------------------|---------------------|--|--|
| Number | Number Tested ¹ | Number Positive | Percent Positive | Number Tested ¹ | Number Positive | Percent Positive | | |
| Specimen Category ² | | | | | | | | |
| Physician Offices | 278,418 | 7,453 | 2.68 | 12,034 | 137 | 1.14 | | |
| Hospitals | 123,973 | 10,377 | 8.37 | 3,636 | 121 | 3.33 | | |
| STD Clinics | 215,689 | 3,041 | 1.41 | 21,567 | 102 | 0.47 | | |
| Family Planning | 356,129 | 3,812 | 1.07 | 51,488 | 329 | 0.64 | | |
| PCAP Clinic | 38,628 | 397 | 1.03 | 2,059 | 3 | 0.15 | | |
| Drug Treatment | 53,722 | 4,447 | 8.28 | 4,106 | 97 | 2.36 | | |
| TB Člinic | 8,527 | 197 | 2.31 | 846 | 7 | 0.83 | | |
| Prisons | 142,520 | 28,305 | 19.86 | 5,784 | 139 | 2.40 | | |
| Other | 217,527 | 5,840 | 2.68 | 2,101 | 67 | 3.19 | | |
| Sex | | | | | | | | |
| Male | 648,944 | 39,385 | 6.07 | 35,320 | 603 | 1.71 | | |
| Female | 822,456 | 14,706 | 1.79 | 67,366 | 376 | 0.56 | | |
| Age | , | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | , | | | | |
| 13-19 | 200,882 | 559 | 0.28 | 24,307 | 22 | 0.09 | | |
| 20-29 | 581,527 | 11,978 | 2.06 | 42,047 | 173 | 0.41 | | |
| 30-39 | 379,095 | 22,338 | 5.89 | 21,075 | 425 | 2.02 | | |
| 40-49 | 155,250 | 9,861 | 6.35 | 9,182 | 254 | 2.77 | | |
| 50+ | 73,629 | 2,388 | 3.24 | 3,200 | 75 | 2.34 | | |
| Race/Ethnicity | , | _,,,,,, | | 2,233 | | | | |
| White | 782,141 | 12,722 | 1.63 | 43,298 | 107 | 0.25 | | |
| Black | 354,093 | 20,966 | 5.92 | 26,388 | 491 | 1.86 | | |
| Hispanic | 218,377 | 13,479 | 6.17 | 17,033 | 264 | 1.55 | | |
| Asian | 16,644 | 89 | 0.53 | 1,277 | 1 | 0.08 | | |
| Native American | NA | NA | NA | 363 | 1 | 0.28 | | |
| Other | 55,201 | 1,310 | 2.37 | 14,327 | 115 | 0.80 | | |
| Ryan White Region | 00,201 | 1,010 | 2.07 | 11,02, | 110 | 0.00 | | |
| Northeast & Mid-Hudson ^a | 241,542 | 6,497 | 2.69 | 25,617 | 337 | 1.32 | | |
| Western ^b | 179,620 | 5,268 | 2.93 | 17,046 | 214 | 1.26 | | |
| Lower Hudson & Nassau/Suffolk ^c | | 7,484 | 3.46 | 22,802 | 397 | 1.74 | | |
| New York City ^d | 209,062 | 12,740 | 6.09 | 30,258 | 2,224 | 7.35 | | |
| Rochester ^e | 174,542 | 3,089 | 1.77 | 16,930 | 132 | 0.78 | | |
| Central & NY-Penn ^f | 188,897 | 3,283 | 1.74 | 22,242 | 244 | 1.10 | | |
| Central & IVI-I entr | 100,077 | 5,200 | 1./ 1 | 22,2 1 2 | 477 | 1.10 | | |

¹Includes specimens for patients/clients age 13 and above.

² Total number of specimens in each category varies due to missing data.

^a Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington, Dutchess, Orange, Sullivan, Ulster

^b Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming

^c Putnam, Rockland, Westchester, Nassau, Suffolk

^d Bronx, Kings, New York, Queens, Rockland

^e Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates

f Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins, Broome, Chenango, Tioga 71

Figure 6-3

Community Health Clinics HIV Positivity by Client Sex, Age, Race/Ethnicity and Exposure Category of Those Tested

New York State, 1996 - 1997

| | | 1996* | | | | 1997* | | | |
|---------------------------|-----------|----------|----------|---------------------|-----------|----------|----------|---------------------|--|
| | Number | Number | Number | Percent Positive | Number | Number | Number | Percent Positive | |
| | Counseled | Tested** | Positive | Positive | Counseled | Tested** | Positive | Positive | |
| Gender | | | | | | | | | |
| Male | 9,240 | 8,919 | 466 | 5.22 | 7,612 | 7,107 | 304 | 4.28 | |
| Female | 14,460 | 13,245 | 277 | 2.09 | 10,696 | 9,596 | 180 | 1.88 | |
| Unknown | 20 | 20 | 0 | 0.00 | 28 | 24 | 0 | 0.00 | |
| Age | | | | | | | | | |
| <20 | 4,144 | 3,862 | 20 | 0.52 | 2,912 | 2,600 | 8 | 0.31 | |
| 20-29 | 8,941 | 8,244 | 148 | 1.80 | 6,437 | 5,839 | 90 | 1.54 | |
| 30-39 | 6,678 | 6,303 | 343 | 5.44 | 5,301 | 4,878 | 213 | 4.37 | |
| 40-49 | 2,861 | 2,723 | 184 | 6.76 | 2,597 | 2,405 | 146 | 6.07 | |
| 50+ | 1,081 | 1,038 | 47 | 4.53 | 1,047 | 969 | 27 | 2.79 | |
| Unknown | 15 | 14 | 1 | 7.14 | 42 | 36 | 0 | 0.00 | |
| Race | | | | | | | | | |
| White | 8,073 | 7,684 | 117 | 1.52 | 5,947 | 5,491 | 77 | 1.40 | |
| Black | 7,838 | 7,190 | 389 | 5.41 | 5,834 | 5,232 | 221 | 4.22 | |
| Hispanic | 6,937 | 6,488 | 227 | 3.50 | 5,888 | 5,400 | 176 | 3.26 | |
| Asian /Pacific Islander | 346 | 334 | 1 | 0.30 | 250 | 226 | 1 | 0.44 | |
| Native American | 55 | 54 | 1 | 1.85 | 45 | 39 | 2 | 5.13 | |
| Other/Unknown | 471 | 434 | 8 | 1.84 | 372 | 339 | 7 | 2.06 | |
| Exposure Category | | | | | | | | | |
| Injecting Drug Use | 1,135 | 1,084 | 175 | 16.14 | 915 | 851 | 123 | 14.45 | |
| Men Who Have Sex With Men | 914 | 876 | 130 | 14.84 | 816 | 758 | 96 | 12.66 | |
| Sex Partner of IDU | 712 | 686 | 61 | 8.89 | 484 | 459 | 29 | 6.32 | |
| Heterosexual Sex | 19,461 | 18,121 | 342 | 1.89 | 14,974 | 13,614 | 215 | 1.58 | |
| Other | 240 | 237 | 9 | 3.80 | 380 | 350 | 8 | 2.29 | |
| Risk Exposure Unknown | 1,258 | 1,180 | 26 | 2.20 | 767 | 695 | 13 | 1.87 | |
| Total Tested | 23,720 | 22,184 | 743 | 3.35 | 18,336 | 16,727 | 484 | 2.89 | |

^{*} Data updated since previously published.

^{**} Includes only valid, complete tests; does not include tests where no result was found or where the result was inconclusive.

Figure 6-3

Community Health Clinics HIV Positivity by Client Sex, Age, Race/Ethnicity and Exposure Category of Those Tested

New York State, 1998 - 1999

| | 1998 | | | | | 1999 | | | |
|---------------------------|-----------|----------|----------|----------|-----------|----------|----------|----------|--|
| | Number | | Number | Percent | Number | Number | | Percent | |
| | Counseled | Tested** | Positive | Positive | Counseled | Tested** | Positive | Positive | |
| Gender | | | | | | | | | |
| Male | 7,670 | 7,239 | 250 | 3.45 | 7,127 | 6,702 | 228 | 3.40 | |
| Female | 9,919 | 9,117 | 171 | 1.88 | 9,892 | 9,045 | 146 | 1.61 | |
| Unknown | 13 | 11 | 2 | 18.18 | 14 | 13 | 1 | 7.69 | |
| Age | | | | | | | | | |
| <20 | 2,395 | 2,155 | 13 | 0.60 | 2,257 | 2,013 | 5 | 0.25 | |
| 20-29 | 6,351 | 5,866 | 66 | 1.13 | 6,073 | 5,589 | 60 | 1.07 | |
| 30-39 | 4,952 | 4,664 | 180 | 3.86 | 4,712 | 4,396 | 140 | 3.18 | |
| 40-49 | 2,687 | 2,531 | 133 | 5.25 | 2,723 | 2,574 | 130 | 5.05 | |
| 50+ | 1,197 | 1,133 | 31 | 2.74 | 1,227 | 1,151 | 40 | 3.48 | |
| Unknown | 20 | 18 | 0 | 0.00 | 41 | 37 | 0 | 0.00 | |
| Race | | | | | | | | | |
| White | 5,869 | 5,511 | 73 | 1.32 | 5,300 | 4,924 | 50 | 1.02 | |
| Black | 5,893 | 5,440 | 190 | 3.49 | 6,061 | 5,548 | 181 | 3.26 | |
| Hispanic | 5,176 | 4,810 | 147 | 3.06 | 4,883 | 4,588 | 132 | 2.88 | |
| Asian / Pacific Islander | 240 | 222 | 3 | 1.35 | 246 | 214 | 2 | 0.93 | |
| Native American | 47 | 46 | 0 | 0.00 | 35 | 33 | 1 | 3.03 | |
| Other/Unknown | 377 | 338 | 10 | 2.96 | 508 | 453 | 9 | 1.99 | |
| Exposure Category | | | | | | | | | |
| Injecting Drug Use | 825 | 797 | 99 | 12.42 | 807 | 764 | 74 | 9.69 | |
| Men Who Have Sex With Men | 793 | 760 | 56 | 7.37 | 705 | 671 | 43 | 6.41 | |
| Sex Partner of IDU | 399 | 390 | 19 | 4.87 | 367 | 354 | 30 | 8.47 | |
| Heterosexual Sex | 14,694 | 13,611 | 211 | 1.55 | 14,500 | 13,370 | 197 | 1.47 | |
| Other | 447 | 432 | 35 | 8.10 | 319 | 304 | 30 | 9.87 | |
| Risk Exposure Unknown | 444 | 377 | 3 | 0.80 | 335 | 297 | 1 | 0.34 | |
| Total Tested | 17,602 | 16,367 | 423 | 2.58 | 17,033 | 15,760 | 375 | 2.38 | |


^{*} Data updated since previously published.

^{**} Includes only valid, complete tests; does not include tests where no result was found or where the result was inconclusive."

Figure 6-3
Community Health Clinics
LIIV Positivity by Client Cov. Acc. Page /Eth

HIV Positivity by Client Sex, Age, Race/Ethnicity and Exposure Category

New York State, 1996 - 1999






Figure 6-3

 $Community\ Health\ Clinics\ HIV\ Positivity\ by\ Client\ Sex,\ Age,\ Race/Ethnicity\ and\ Exposure\ Category\ ,$ New York State, 1996 - 1999, continued

